


CoroCut® 3 System zur Außenbearbeitung




		1	2	4 ¹⁾
Schafthalter	Coromant Capto®	Spannschraube	Schlüssel (Torx Plus)	Schraubendreher
RF123T06-1010BM	–	5513 020-63 ²⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
RF123T06-1212BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
RF123T06-1616BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
C3-RF123T06-22045BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
C4-RF123T06-27060BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
RF123T06-2020BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
RF123T06-2525BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
RF123T06-3232BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
LF123U06-1010BM	–	5513 020-63 ²⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
LF123U06-1212BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
LF123U06-1616BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
C3-LF123U06-22045BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
C4-LF123U06-27060BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
LF123U06-2020BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
LF123U06-2525BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)
LF123U06-3232BM	–	5513 020-62 ³⁾	5680 049-02 (15IP)	5680 046-01 (8IP)

- 1) Option, separat zu bestellen.
2) Bei Haltern ohne M in der Bestellnummer Schraube 5513020-09 bestellen.
3) Bei Haltern ohne M in der Bestellnummer Schraube 5513020-32 bestellen.

Düse für Coromant Capto Capto®
Schneidköpfe

Schneidkopfgröße	3 Düse
C3–C4	5691 029-08
C5–C6	5691 029-02

T-Max Q-Cut® Werkzeuge mit Federspannung zur Außenbearbeitung





Schafthalter	Schlüssel für Wendeschneidplatte	Schafthalter	Schlüssel für Wendeschneidplatte
R/L151.20-0808-20	5680 057-021	R/L151.21-1616-20	5680 057-021
R/L151.20-1010-20		R/L151.21-1616-25	
R/L151.20-1212-20		R/L151.21-2020-25	
R/L151.20-1612-20		R/L151.21-2020-30	
R/L151.20-1616-20		R/L151.21-2525-30	
R/L151.20-1212-25		R/L151.21-3225-30	5680 057-011
R/L151.20-1612-25		R/L151.21-2020-40	
R/L151.20-1616-25		R/L151.21-2525-40	
R/L151.20-2012-25		R/L151.21-3225-40	
R/L151.20-2016-25		R/L151.21-2525-40A	
R/L151.20-2020-25		R/L151.21-3225-40A	
R/L151.20-2525-25		R/L151.21-3232-40	
R/L151.20-1612-30		R/L151.21-2525-50	
R/L151.20-1616-30		R/L151.21-3232-50	
R/L151.20-2012-30		R/L151.21-2525-60	
R/L151.20-2016-30		R/L151.21-3232-60	
R/L151.20-2020-30			
R/L151.20-2020-30A			
R/L151.20-2525-30A			
R/L151.20-2020-40	5680 057-011		
R/L151.20-2525-40			

5680 057-021 = Schlüssel mit gelbem Griff

5680 057-011 = Schlüssel mit rotem Griff

T-Max Q-Cut® Schraubspannung, Außenbearbeitung




		1	2
Schafthalter	Coromant Capto®	Spannschraube	Schlüssel (Torx Plus)
R/LF151.22-1616-20	C3-R/LF151.22-22045-20	3212 012-259	5680 043-14 (20IP)
R/LF151.22-2020-20	C4-R/LF151.22-27050-20		
R/LF151.22-2525-20	C5-R/LF151.22-35060-20		
R/LF151.22-1616-25	C3-R/LF151.22-22050-25	3212 012-259	5680 043-14 (20IP)
R/LF151.22-2020-25	C4-R/LF151.22-27050-25		
R/LF151.22-2525-25	C5-R/LF151.22-35060-25		
R/LF151.22-1616-30	C3-R/LF151.22-22050-30	3212 012-259	5680 043-14 (20IP)
R/LF151.22-2020-30	C4-R/LF151.22-27055-30		
R/LF151.22-2525-30	C5-R/LF151.22-35060-30		
R/LF151.22-3225-30	C6-R/LF151.22-45065-30		
R/LF151.22-2020-40	C4-R/LF151.22-27055-40	3212 012-360	5680 043-17 (30IP)
R/LF151.22-2525-40	C5-R/LF151.22-35060-40		
R/LF151.22-3225-40	C6-R/LF151.22-45065-40		
R/LF151.22-2525-50	C4-R/LF151.22-27055-50	3212 012-360	5680 043-17 (30IP)
R/LF151.22-3225-50	C5-R/LF151.22-35060-50		
	C6-R/LF151.22-45065-50		
	C8-R/LF151.22-42080-50		
R/LF151.22-2525-60	C5-R/LF151.22-35060-60	3212 012-360	5680 043-17 (30IP)
R/LF151.22-3225-60	C6-R/LF151.22-45065-60		
	C8-R/LF151.22-42080-60		
R/LS151.22-2525-20	C3-R/LS151.22-22045-20	3212 012-259	5680 043-14 (20IP)
	C4-R/LS151.22-27050-20		
R/LS151.22-2525-25	C3-R/LS151.22-22050-25	3212 012-259	5680 043-14 (20IP)
	C4-R/LS151.22-27050-25		
	C4-R/LS151.22-35060-25		
R/LS151.22-2020-30	C3-R/LS151.22-22050-30	3212 012-259	5680 043-14 (20IP)
R/LS151.22-2525-30	C4-R/LS151.22-27055-30		
	C5-R/LS151.22-35060-30		
R/LS151.22-2020-40	C4-R/LS151.22-27055-40	3212 012-360	5680 043-17 (30IP)
R/LS151.22-2525-40	C5-R/LS151.22-35060-40		
R/LS151.22-2525-50	C4-R/LS151.22-27055-50	3212 012-360	5680 043-17 (T30)
R/LS151.22-3225-50	C5-R/LS151.22-35060-50		
R/LS151.22-2525-60	C5-R/LS151.22-35060-60	3212 012-360	5680 043-17 (30IP)
R/LS151.22-3225-60	C6-R/LS151.22-45065-60		
R/LF151.23-1616-20M1	C3-R/LF151.23-22050-20	3212 012-259	5680 043-14 (20IP)
R/LF151.23-2020-20M1	C4-R/LF151.23-27055-20		
R/LF151.23-2525-20M1	C5-R/LF151.23-35060-20		
R/LF151.23-1616-25M1	C3-R/LF151.23-22055-25	3212 012-259	5680 043-14 (20IP)
R/LF151.23-2020-25M1	C4-R/LF151.23-27060-25		
R/LF151.23-2525-25M1	C5-R/LF151.23-35060-25		
R/LF151.23-1616-30M1	C3-R/LF151.23-22055-30	3212 012-310	5680 043-15 (20IP)
R/LF151.23-2020-30M1	C4-R/LF151.23-27060-30		
R/LF151.23-2525-30M1	C5-R/LF151.23-35060-30		
R/LF151.23-3225-30M1	C6-R/LF151.23-45065-30		
R/LF151.23-2020-40M1	C4-R/LF151.23-27067-40	3212 012-360	5680 043-17 (30IP)
R/LF151.23-2525-40M1	C5-R/LF151.23-35067-40		
R/LF151.23-3225-40M1	C6-R/LF151.23-45067-40		
R/LF151.23-2525-50M1	C5-R/LF151.23-35075-50	3212 012-360	5680 043-17 (30IP)
R/LF151.23-3225-50M1	C6-R/LF151.23-45075-50		
R/LF151.23-2525-60M1	C5-R/LF151.23-35075-60	3212 012-360	5680 043-17 (30IP)
R/LF151.23-3225-60M1	C6-R/LF151.23-45080-60		

Düse für Coromant Capto Capto® Schneidköpfe


Schneidkopfgröße	3 Düse
C3-C4	5691 029-01
C5-C6	5691 029-02

T-Max Q-Cut® Schraubspannung, Außenbearbeitung



	1	2
Schafthalter	Spannschraube	Schlüssel (Torx Plus)
R/LF151.37-2525-024B25	3212 012-360	5680 043-17 (30IP)
R/LF151.37-2525-029B25		
R/LF151.37-2525-034B25		
R/LF151.37-2525-044B25		
R/LF151.37-2525-064B25		
R/LF151.37-2525-027B30	3212 012-360	5680 043-17 (30IP)
R/LF151.37-2525-032B30		
R/LF151.37-2525-042B30		
R/LF151.37-2525-062B30		
R/LF151.37-2525-112B30		
R/LF151.37-2525-025B40	3212 012-360	5680 043-17 (30IP)
R/LF151.37-2525-030B40		
R/LF151.37-2525-045B40		
R/LF151.37-2525-070B40		
R/LF151.37-2525-090B40		
R/LF151.37-2525-023B50	3212 012-360	5680 043-17 (30IP)
R/LF151.37-2525-038B50		
R/LF151.37-2525-058B50		
R/LF151.37-2525-088B50		
R/LG151.37-2525-027B30	3212 012-360	5680 043-17 (30IP)
R/LG151.37-2525-032B30		
R/LG151.37-2525-042B30		
R/LG151.37-2525-023B50	3212 012-360	5680 043-17 (30IP)
R/LG151.37-2525-038B50		
NF151.42-2525-40	3212 012-360	5680 043-17 (30IP)
NF151.42-3225-40		
NF151.42-2525-60	3212 012-360	5680 043-17 (30IP)
NF151.42-3225-60		
R/LF151.42-2525-40	3212 012-360	5680 043-17 (30IP)
R/LF151.42-3225-40		
R/LF151.42-2525-60	3212 012-360	5680 043-17 (30IP)
R/LF151.42-3225-60		


T-Max Q-Cut® Schraubspannung, Innenbearbeitung



	1	2
Bohrstange	Spannschraube	Schlüssel (Torx Plus)
R/LAF151.37-25-024A25	3212 012-257	5680 043-14 (20IP)
R/LAF151.37-25-024A30	3212 012-257	5680 043-14 (20IP)
R/LAF151.37-25-025A30		
R/LAF151.37-40-035A50	3212 012-359	5680 043-17 (30IP)
R/LAF151.37-40-036A50		
R/LAG151.22-25R-20	3212 012-257	5680 043-14 (20IP)
R/LAG151.22-32S-20		
R/LAG151.22-25R-25	3212 012-257	5680 043-14 (20IP)
R/LAG151.22-32S-25		
R/LAG151.22-40T-25		
R/LAG151.22-25R-30	3212 012-257	5680 043-14 (20IP)
R/LAG151.22-32S-30		
R/LAG151.22-40T-30		
R/LAG151.22-32S-40	3212 012-359	5680 043-17 (30IP)
R/LAG151.22-40T-40		
R/LAG151.22-50U-40		
R/LAG151.22-32S-50	3212 012-359	5680 043-17 (30IP)
R/LAG151.22-40T-50		
R/LAG151.22-50U-50		
R/LAG151.22-40T-60	3212 012-359	5680 043-17 (30IP)
R/LAG151.22-50U-60		
R/LAG151.32-16M-20	5512 031-03	5680 043-13 (15IP)
R/LAG151.32-20Q-20		
R/LAG151.32-16M-25	5512 031-03	5680 043-13 (15IP)
R/LAG151.32-20Q-25		
R/LAG151.32-25R-25		
R/LAG151.32-32S-25		
R/LAG151.32-20Q-30	5512 031-03	5680 043-13 (15IP)
R/LAG151.32-25R-30		
R/LAG151.32-32S-30		
R/LAG151.32-25R-40	5512 031-03	5680 043-13 (15IP)
R/LAG151.32-32S-40	3212 012-359	5680 043-17 (30IP)
R/LAG151.32-40T-40	3212 012-359	5680 043-17 (30IP)
R/LAG151.32-32S-50	3212 012-359	5680 043-17 (30IP)
R/LAG151.32-40T-50		
R/LAG151.32-40T-60	3212 012-359	5680 043-17 (30IP)
R/LAG151.32-16M12-20	5512 031-07	5680 043-10 (8IP)
R/LAG151.32-16M15-25	5512 031-04	5680 043-10 (8IP)
R/LAG151.32-20Q16-30		
R/LAG151.32-20Q18-40	5512 031-03	5680 043-10 (8IP)


Adapter für CoroCut® und Q-Cut® Kassetten zum Abstechen

Radialeinbau





	1	2	3	4
Spannblock	Schraube	Schlüssel (mm)	Spannpratze	Verschluss
C5-APBA-40058-21	3212 010-410	3021 010-060 (6.0)	5412 120-01	5519 055-01
C6-APBA-60060-25	3212 010-411	3021 010-060 (6.0)	5412 120-02	5519 055-01
C8-APBA-60068-25	3212 010-411	3021 010-060 (6.0)	5412 120-02	5412 120-01

Axialeinbau




	1	2	3	4
Spannblock	Schraube	Schlüssel (mm)	Spannpratze	Verschluss
C5-APBR/L-31095-21	3212 010-410	3021 010-060 (6.0)	5412 120-01	5519 055-01
C6-APBR/L-37147-25	3212 010-411	3021 010-060 (6.0)	5412 120-02	5519 055-01
C8-APBR/L-46155-25	3212 010-411	3021 010-060 (6.0)	5412 120-02	5519 055-01

Werkzeugblock für CoroCut® und T-Max Q-Cut® Einsätze zum Abstechen



	1	2	3
Spannblock	Spannpratze	Spannschraube	Schlüssel (mm)
151.2-2520-21	5412 120-01	3212 010-410	3021 010-060 (6.0)
151.2-2020-25	5412 120-02	3212 010-411	3021 010-060 (6.0)
151.2-2020-21M	5412 120-01	3212 010-410	3021 010-060 (6.0)
151.2-2520-25	5412 120-02	3212 010-411	3021 010-060 (6.0)
151.2-3232-25	5412 120-02	3212 010-411	3021 010-060 (6.0)
151.2-3232-45	5412 120-03	3212 010-412	3021 010-060 (6.0)
151.2-4040-45	5412 120-03	3212 010-412	3021 010-060 (6.0)
151.2-2520-21	5412 120-01	3212 010-410	3021 010-060 (6.0)
151.2-2020-25	5412 120-02	3212 010-411	3021 010-060 (6.0)

Kühlschmierstoff-Anschluss




4	5	6	7	8
Düse	Montageschraube	Verschluss	Schlüssel (mm)	Schlüssel (mm)
5691 029-02	3212 010-358	5519 055-01	3021 010-050 (5.0)	3021 010-060 (6.0)

T-Max Q-Cut® SL

151.3

Kassetten

Schraubspann- System




	1	2	3	4
Kassetten	Spannschraube	Schlüssel (Torx Plus)	Spannmutter	Kühlschmierstoff-adapter
570-25R/L151.3-08-20	5513 017-02	5680 049-02 (15IP)	5534 021-01	5691 041-01
570-32R/L151.3-08-20				
570-25R/L151.3-08-25	5513 017-02	5680 049-02 (15IP)	5534 021-01	5691 041-01
570-32R/L151.3-07-25				
570-32R/L151.3-024A25/B25	3212 012-260	5680 043-14 (20IP)	–	5691 041-01
570-32R/L151.3-029A25/B25				
570-25R/L151.3-08-30	5513 017-02	5680 049-02 (15IP)	5534 021-01	5691 041-03
570-32R/L151.3-08-30				
570-32R/L151.3-027A30/B30	3212 012-310	5680 043-15 (25IP)	–	5691 041-03
570-32R/L151.3-032A30/B30				
570-25R/L151.3-08-40	5513 017-02	5680 049-02 (15IP)	5534 021-01	5691 041-03
570-32R/L151.3-10-40				
570-40R/L151.3-09-40				
570-32R/L151.3-025A40/B40	3212 012-310	5680 043-15 (25IP)	–	5691 041-02
570-32R/L151.3-030A40/B40				
570-32R/L151.3-10-50	5513 017-02	5680 049-02 (15IP)	5534 021-01	5691 041-03
570-40R/L151.3-09-50				
570-32R/L151.3-023A50/B50	3212 012-310	5680 043-15 (25IP)	–	5691 041-02
570-32R/L151.3-038A50/B50				
570-32R/L151.3-13-60	5513 017-02	5680 049-02 (15IP)	5534 021-01	5691 041-03
570-40R/L151.3-12-60				

151.2


Kassetten

Federspannung



	1	2
Kassetten	Kühlschmierstoffadapter	Schlüssel für Wendeschneidplatte
570-25R/L151.21-20-20	5691 041-01	5680 057-021
570-32R/L151.21-20-20	5691 041-01	5680 057-021
570-25R/L151.21-20-25	5691 041-01	5680 057-021
570-32R/L151.21-20-25	5691 041-01	5680 057-021
570-25R/L151.21-30-30	5691 041-01	5680 057-021
570-32R/L151.21-30-30	5691 041-01	5680 057-021
570-32R/L151.21-32-40	5691 041-03	5680 057-011
570-40R/L151.21-32-40	5691 041-03	5680 057-011
570-32R/L151.21-32-50	5691 041-03	5680 057-011
570-40R/L151.21-32-50	5691 041-03	5680 057-011

CoroCut® 3 SL



	1	2	3 ¹⁾	4
Kassetten	Spannschraube	Schlüssel (Torx Plus)	Schraubendreher	Kühlschmierstoffadapter
570-25L123T06B	5513 020-062	5680 049-02(15IP)	5680 041-06(8IP)	5691 041-01
570-32L123T06B	5513 020-062	5680 049-02(15IP)	5680 041-06(8IP)	5691 041-01
570-40L123T06B	5513 020-062	5680 049-02(15IP)	5680 041-06(8IP)	5691 041-01
570-25R123U06B	5513 020-062	5680 049-02(15IP)	5680 041-06(8IP)	5691 041-01
570-32R123U06B	5513 020-062	5680 049-02(15IP)	5680 041-06(8IP)	5691 041-01
570-40R123U06B	5513 020-062	5680 049-02(15IP)	5680 041-06(8IP)	5691 041-01

¹⁾ Optional part, to be ordered separately.